

**5<sup>th</sup> World Congress on  
DISASTER MANAGEMENT**



# 5<sup>th</sup> World Congress on DISASTER MANAGEMENT

Volume 2

NATURE AND HUMAN INDUCED DISASTERS

*Edited by*

**Dr. S. Ananda Babu**

President and Convenor

DMICS-WCDM

First published 2023  
by Routledge  
4 Park Square, Milton Park, Abingdon, Oxon OX14 4RN

and by Routledge  
605 Third Avenue, New York, NY 10158

Routledge is an imprint of the Taylor & Francis Group, an informa business

© 2023 DMICS

The right of Dr. S. Ananda Babu to be identified as the author of the editorial material, and of the authors for their individual chapters, has been asserted in accordance with sections 77 and 78 of the Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this book may be reprinted or reproduced or utilised in any form or by any electronic, mechanical, or other means, now known or hereafter invented, including photocopying and recording, or in any information storage or retrieval system, without permission in writing from the publishers.

*Trademark notice:* Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation without intent to infringe.

Although the publisher and the author have made every effort to ensure that the information in this book was correct at press time and while this publication is designed to provide accurate information in regard to the subject matter covered, the publisher and the author assume no responsibility for errors, inaccuracies, omissions, or any other inconsistencies herein and hereby disclaim any liability to any party for any loss, damage, or disruption caused by errors or omissions, whether such errors or omissions result from negligence, accident, or any other cause.

British Library Cataloguing-in-Publication Data  
A catalogue record for this book is available from the British Library

Library of Congress Cataloging-in-Publication Data  
A catalog record has been requested for this book

ISBN: 978-1-032-35546-7 (hbk)  
ISBN: 978-1-003-34193-2 (ebk)

# Table of Contents

<i>List of Figures</i>	<i>ix</i>
<i>List of Tables</i>	<i>xix</i>
<i>Preface</i>	<i>xxiii</i>
<i>Acknowledgement</i>	<i>xxv</i>

## Part 1: Living with Floods—Case Studies in Flood Risk Management

<b>1. Assessing Vulnerability, Coping Mechanism &amp; Adaptive Capacity of Community During Urban Floods: A Case of Kerala Floods 2018</b>	<b>3</b>
<i>B. Sneha Singh and Anil Kumar Roy</i>	
<b>2. Flooding Problems in Periyar River Basin, Kerala—The Effects of Land Use Land Cover Changes</b>	<b>16</b>
<i>Kashish Sadhwani, T. I. Eldho and Subhankar Karmakar</i>	
<b>3. Attitudinal Capacity and Flood Risk Management of the People of Kerala after the Flood Disaster</b>	<b>25</b>
<i>M. V. Bindu</i>	
<b>4. Kosi Floods in Bihar: A Study from Anthropological Perspective</b>	<b>30</b>
<i>Rahul Kumar Yaduka</i>	
<b>5. Operation Research on Flash Flood in River Dhauli Ganga On 7<sup>th</sup> February, 2021 at Tapovan—Raini Village, Joshimath, Chamoli</b>	<b>42</b>
<i>Aditya Pratap Singh</i>	
<b>6. Multi-Stakeholder Planning and Coordination for Flood Risk Reduction in Bihar</b>	<b>60</b>
<i>Vivek Kumar Singh, Geetanjali Kumari, Amrita Dhiman and Amritanjali Kumari</i>	
<b>7. Urban Floods in the Time of Pandemic—Hyderabad 2020</b>	<b>68</b>
<i>Vijaya Kumari Nunna</i>	
<b>8. Himalayan Flash Floods, the Complexities and Challenges in Mitigation: Case Study of Chamoli Disaster</b>	<b>73</b>
<i>Agraj Upadhyay, S. K. Joshi and P. K. Satyawali</i>	

## Part 2: Planning and Managing Risks of Floods and River Erosion

<b>9. Cloudburst Induced Flood Assessment in the North-Western Himalayan Region—A Case Study of Upper Beas Basin</b>	<b>89</b>
<i>Sachchidanand Singh and Mitthan Lal Kansal</i>	
<b>10. PARA-FM: Graphical User Interface for Emergency Flood Planning and Management</b>	<b>100</b>
<i>Utsav Rai, Durgakant Pushp, Aditya Choudhary, Amit Kumar, Chaitanya B., Rolif Lima, Abhinay N. S., Rudrashis Majumder, Shuvrangshu Jana, Kaushik Das and Debasish Ghose</i>	
<b>11. Flood Response to Geomorphic Setup and Coastal Land Use Patterns: A Case Study in Krishna River Delta, Andhra Pradesh, India</b>	<b>107</b>
<i>M. V. Ramana Murty, K. Mruthyunjaya Reddy and K. V. Swamy</i>	
<b>12. Flood Hazard Mapping for Disaster Management: Multisectoral Approach for a Riverine Region</b>	<b>120</b>
<i>Deeksha Biswas and Anurag Bagade</i>	
<b>13. Benefit-Cost Analysis of Flood Management, A Case Study of Jammu and Kashmir</b>	<b>130</b>
<i>Kowser Ali Jan and R. Balaji</i>	
<b>14. Tackling River Erosion: A Post-Disaster Transformative Framework</b>	<b>136</b>
<i>Siji Chacko and Anil Kumar</i>	
<b>15. Flood Inundation Mapping Using C-band Synthetic-aperture Radar and Random Forest Algorithm: A Methodological Basis</b>	<b>149</b>
<i>Swapnil Singh Parihar and Shafique Matin</i>	

<b>16. Public-Private-People Partnership (4P) Framework for Managing Floods in Raigad [MH]</b>	<b>159</b>
<i>A. N. Chavan, S. M. Pore and S. R. Bhagat</i>	
<b>17. Role of Kerala Fire &amp; Rescue Services Department in Handling Kerala Floods 2018</b>	<b>168</b>
<i>B. Sandhya IPS, Nousad M. and Abdul Rasheed K.</i>	
<b>Part 3: Cyclone Risk Mitigation and Management</b>	
<b>18. Impact and Management of Super Cyclone Amphan in Odisha</b>	<b>179</b>
<i>D. Panda and M. Devi</i>	
<b>19. At the Cross-roads in Cyclone-prone Odisha: Titli—The Butterfly’s Duel with Development</b>	<b>190</b>
<i>Geeta Vaidyanathan and Ramani Sankaranarayanan</i>	
<b>20. Resilient Settlements Amid Cyclonic Storm—Empirical Evidence on Factors at Play from Southwest Coastal Bangladesh</b>	<b>208</b>
<i>Sumaiyah Binte Mamun and Khandaker Shabbir Ahmed</i>	
<b>21. Climate Change Induced Cyclones in Arabian Sea and Mitigating the Emerging Risks for Small Scale Fishermen Community</b>	<b>229</b>
<i>Vaishnavi and Katyayini Sood</i>	
<b>22. Vulnerability Assessment of a Cyclone Affected Community Kapateswar, Puri Sadar</b>	<b>240</b>
<i>Chestha Khurana and Meghna Chatterji</i>	
<b>23. Evolution of Vulnerability to Cyclones: A Study of Storm Surge Vulnerability in the Coastal Blocks of South Twenty-four Parganas, West Bengal During 1997–2019</b>	<b>256</b>
<i>Nandita Singh and Neeti Neeti</i>	
<b>24. Study and Impact of Cyclones Over Coastal Regions of India</b>	<b>262</b>
<i>Aakanksha Darge and S. R. Bhagat</i>	
<b>Part 4: Managing Risks of Drought</b>	
<b>25. Machine Learning Tools and Techniques for Prediction of Droughts</b>	<b>273</b>
<i>Rashmi Nitwane, Vaishali D. Bhagile and R. R. Deshmukh</i>	
<b>26. Assessment of Rainfall Variability and Drought Features in Bundelkhand Region of Madhya Pradesh, India</b>	<b>278</b>
<i>R. V. Galkate, R. P. Pandey and Shalini Yadava</i>	
<b>27. Drought Crisis In Rajasthan and Their Management</b>	<b>290</b>
<i>Harish Samaria</i>	
<b>28. Floods as Prequels to Droughts and Lessons for Drought Resilience</b>	<b>296</b>
<i>I. Kavila, B. V. Hari and Amrutha Sasidharan</i>	
<b>29. Reliability, Resilience, and Vulnerability Risk Assessment of Extreme Hydrological Disasters Using Gravity Recovery and Climate Experiment (GRACE) of India</b>	<b>302</b>
<i>Sachin Bhere and Manne Janga Reddy</i>	
<b>30. A Survey of Drought Impact and Mitigation in the State of Telangana</b>	<b>311</b>
<i>Vijaya Kumari Nunna</i>	
<b>Part 5: Climate Change and Disasters—New Dimensions</b>	
<b>31. Role of Local Sea-level Rise on Disaster Exposure in Coastal Island</b>	<b>319</b>
<i>Vinay S., Aishwarya N. and Bharath H. A.</i>	
<b>32. Spatial Variability of Climate Extreme Indices Over Mahanadi Basin (India)</b>	<b>328</b>
<i>R. K. Jaiswal, A. K. Lohani, R. V. Galkate and S. Jain</i>	
<b>33. Climate Change—Induced Natural Disaster: A Case Study of 2013 Kedarnath Disaster, Uttarakhand</b>	<b>336</b>
<i>Neha Gupta, Josodhir Das and James Xavier Paul</i>	

<b>34. Framework for Evaluating the Physical Infrastructure Vulnerability Due to Relative Sea-Level Rise in Coastal Districts of Kerala—Case of Alappuzha</b>	<b>345</b>
<i>R. S. Vishnu and Anurup K.</i>	
<b>35. Increasing Risk of Glacial Lake Outburst Floods (GLOFs) as a Consequence of Climate Change in the Himalayan Region</b>	<b>405</b>
<i>Ahmed Faraz Khan</i>	
<b>36. Glacial Lake Outburst Flood Modelling</b>	<b>413</b>
<i>A. K. Lohani, Sanjay K. Jain and R. K. Jaiswal</i>	
<b>37. Comparative Analysis of Developed, Developing and Underdeveloped Countries in Regards to Climate Change and Global Policies</b>	<b>420</b>
<i>Aanchal Pundir</i>	
<b>38. The Most Credible 05 Elements to Tackle Displacement in Nearest 10 Years of Asia</b>	<b>433</b>
<i>Mahendra Jagath Kuragodage</i>	
<b>39. Climate Change and its Interconnectedness with Natural Disasters: A Global Perspective</b>	<b>446</b>
<i>Areeba Naaz and Parvez Hayat IPS</i>	
<b>40. Climate-Induced Displacement and Climate Disaster Law: Challenges and Opportunities</b>	<b>452</b>
<i>Sunil Kumar Chaudhary</i>	
<b>41. Climate Hazards and the Role of Local Authorities: Exploring the Indian Legal Framework</b>	<b>458</b>
<i>Chandrika Mehta</i>	

#### Part 6: Technological Disasters

<b>42. An Incident of Styrene Monomer Gas Poisoning at Visakhapatnam</b>	<b>465</b>
<i>Chandrasekhar Krishnamurti, M. D., Saurabh Dalal and Mounika Jonnavittula House Surgeon</i>	
<b>43. Chemical Disaster: Leakage of Styrene Gas at L. G. Polymers, Vishakhapatnam (Andhra Pradesh)</b>	<b>469</b>
<i>Anupam Srivastava</i>	
<b>44. Managing a Blackout—The Consequences of an Oil Spill at Sea</b>	<b>479</b>
<i>Malini S. Shankar and K. M. Sivakholundu</i>	
<b>45. Baghjan Fire: A Case Study of the ‘2020 Assam Gas and Oil Leak’ at Baghjan Oil Field, Tinsukia, Assam</b>	<b>483</b>
<i>Swapnali Gogoi, Bubu Baruah and Annekha Chetia</i>	
<b>46. Assessing the Risk of Fire Hazard: A Case Study of Delhi</b>	<b>498</b>
<i>Kanika Bhatia and Aakash Upadhyay</i>	
<b>47. CBRN Management in India</b>	<b>513</b>
<i>Pankaj Kumar</i>	
<b>48. Covid-19 Necessitates Review of Existing Framework for Management of CBRN Disasters/Emergencies in India</b>	<b>525</b>
<i>Brigadier Kamal Singh Chauhan</i>	

#### Part 7: Other Disasters

<b>49. Are Strong Aftershocks Always Triggered by a Positive Coulomb Stress Change?: A Case Study of the 2018 Indonesia (Sulawesi) MW 7.5 Tsunamigenic Earthquake</b>	<b>535</b>
<i>Nazeel Sabah and Daya Shanker</i>	
<b>50. Sedimentation Modeling of 2004 Indian Ocean Tsunami: Towards Early Warning Strategy</b>	<b>547</b>
<i>Abdullah Ansari, Javed N Malik and Shivam Tripathi</i>	
<b>51. Forest Fire Risk Zone Mapping in Parambikulam Tiger Reserve, Western Ghats, Kerala, India Using Geospatial Techniques and Fire Risk Index (FRI) Method</b>	<b>550</b>
<i>Shalu George, Kripa K., Anbazhagi S. and Muthukumar Muthuchamy</i>	
<b>52. Forest Fire Early Detection System using Wireless Beacon Network and UAV based Object Detection</b>	<b>560</b>
<i>Amal Sujith, Sagar Sajeew and Vishnu O. V.</i>	

viii 5<sup>th</sup> World Congress on Disaster Management

<b>53. Patterns and Consequences: Australian Bushfires</b>	<b>570</b>
<i>Ritu Bir and Meenakshi Singh</i>	
<b>54. Global trend of Forest Fire and its Management</b>	<b>574</b>
<i>Rajesh Thakur</i>	
<b>55. Building Disaster Resilience to Cloud Burst Events in Uttrakhand, India</b>	<b>590</b>
<i>Anjali Saraswat and Satish Pipralia</i>	
<b>56. Heat Wave and Outbreak of Encephalitis—A Case Study of Bihar</b>	<b>597</b>
<i>Sunil Kumar Chaudhary</i>	

# List of Figures

1.1	<i>Settling the regional context</i>	4
1.2	<i>Map of Aluva showing household data across wards</i>	4
1.3	<i>Map of Aluva showing distribution of community across wards</i>	5
1.4	<i>Exposure based on density across wards in Aluva</i>	5
1.5	<i>Map of Aluva showing duration of inundation across wards</i>	6
2.1	<i>Periyar river basin</i>	17
2.2	<i>(a) DEM (b) Soil Map (c) Slope map of PRB</i>	18
2.3	<i>LULC a) 1988; (b) 2002; c) 2016; d) 2030 for PRB</i>	20
2.4	<i>Scattered plots between the observed and simulated monthly streamflow values for (a) calibration and (b) validation period.</i>	21
2.5	<i>LULC change impact on (a) Outflow (b) Precipitation and (c) Maximum runoff; with LULC 1988, 2002, 2016 and 2030 during August 2018 in PRB</i>	22
2.6	<i>Spatial variation of (a) Precipitation; %Change in Runoff (b) LULC 2002-1988 (c) LULC 2016-1988 and (d) LULC 2030-1988 for PRB on 16 August 2018</i>	23
3.1	<i>Geographical area of the study area</i>	26
3.2	<i>Attitude level of respondents Alappuzha districts</i>	27
3.3	<i>Attitude level of the respondents Pathanamthitta districts</i>	28
4.1	<i>Map showing the course of the river Kosi and major locations on its way</i>	30
4.2	<i>Image showing different channels through which the river Kosi has flown at different points of time starting from Purnea in 1731 to Nirmali in 1963.</i>	32
4.3	<i>Image waterlogging due to poor drainage on the countryside.</i>	33
4.4	<i>Map displaying administrative divisions of Supaul district in Bihar</i>	38
4.5	<i>Image showing motorcycle being loaded on a small boat to cross a stream of the river Kosi near Khokhnaha village lying between the embankments and a government-run school in the village</i>	39
4.6	<i>Image showing widespread silt brought by the river Kosi that makes agriculture and transportation difficult</i>	39
4.7	<i>Image showing the condition of silt-laden land inside the embankments</i>	40
5.1	<i>River Dhauli Ganga ravaged the Tapovan Hydroelectric power project</i>	42
5.2	<i>River system of Uttarakhand</i>	43
5.3	<i>Seismic Zone of Uttarakhand</i>	44
5.4	<i>Rainfall data of Uttarakhand</i>	44
5.5	<i>Landslide susceptibility Zonation from Helang to Artificial lake at Peng near Raini village</i>	44
5.6	<i>Probable impact zone at Rongti Gad</i>	44
5.7	<i>Sediment deposition in Rishiganga River after the incident (Before &amp; after)</i>	45
5.8	<i>Tapovan hydroelectric power plant (Before &amp; after the sediment deposition by Dhauliganga river)</i>	45
5.9	<i>Barrage gates of Tapovan hydroelectric power plant</i>	46
5.10	<i>Source of rockslide and its impact site at Rongti Gad</i>	46
5.11	<i>NDRF Team movement</i>	47
5.12	<i>NDRF Team movement at Hindon airbase and Joshimath helipad respectively</i>	47
5.13	<i>Tapovan tunnel layout</i>	48
5.14	<i>Outside &amp; inside view of Tapovan Tunnel</i>	49

5.15	<i>Tapovan barrage</i>	49
5.16	<i>Rishiganga power project, Raini village</i>	49
5.17	<i>Manual search along the river Alakhnanda</i>	50
5.18	<i>Night operation at Tapovan Barrage</i>	50
5.19	<i>Operation at Raini Village</i>	50
5.20	<i>Flow of sludge inside Tapovan tunnel</i>	51
5.21	<i>Operation inside the Tapovan tunnel</i>	52
5.22	<i>Making a borehole inside the Tapovan tunnel</i>	52
5.23	<i>Inserting the camera inside the borehole</i>	52
5.24	<i>Inside view of the borehole</i>	53
5.25	<i>Dead body retrieval by NDRF</i>	53
5.26	<i>Water logging inside the Tapovan tunnel</i>	53
5.27	<i>Aerial view of Glacial Lake at Peng, near Raini Village</i>	54
5.28	<i>Outside view of Tapovan tunnel</i>	55
5.29	<i>IRS chart</i>	56
5.30	<i>Picturesque view of Nanda Devi peak</i>	59
6.1	<i>River zones in Bihar</i>	62
7.1	<i>Imagery showing the storm direction</i>	68
7.2	<i>Depression in Bay of Bengal</i>	69
7.3	<i>Location Map</i>	69
7.4	<i>Rainfall in Hyderabad</i>	69
7.5	<i>Record Rainfall and Flooding</i>	69
7.6	<i>Urban floods from 2006 to 2016 in Hyderabad</i>	70
7.7	<i>Waste management</i>	71
7.8	<i>Flood Mitigation Measures</i>	71
8.1	<i>(a) An aerial photograph of the rock and ice failure surfaces (Photograph by team DGRE)</i> <i>(b) Crown crack (Bergschrund) shown in a satellite image of 7<sup>th</sup> October 2017</i>	75
8.2	<i>Visual interpretation of various failure surfaces (Aerial photograph by team DGRE)</i>	76
8.3	<i>(a) Probable status of detachd rock mass (a) prior to snowfall on 4<sup>th</sup> February- 2021</i> <i>(b) After 5<sup>th</sup> February on cessation of snowfall</i>	77
8.4	<i>(a) Trajectory of debris flow event from release location to under construction Tapovan Hydro-power plant (b) Initial trajectory of the flowing mass causing damage to trees (Satellite image: Maxtar technologies, Google Earth 2021)</i>	78
8.5	<i>Characteristics of flow channel (a) A sharp narrow bend just before Raunthi-Rishiganga confluence (b) A sharp narrow bend just after Raunthi- Rishiganga confluence (c) A narrow channel downstream of bend in Fig. 8.5(b) with rocky side slopes (d) A nearly straight channel downstream of narrow channel shown in Fig. 8.5(c)</i>	79
8.6	<i>(a) Lake formed on Rishiganga river due to debris deposition (b) Highest flow mark showing back flow of material over the earthern dam over Rishiganga river (c) T- junction near Raini village (b) Back flow in Dhauliganga and lake formation due to deposits</i>	80
8.7	<i>Simulation results (a) Flow height contours (b) Flow velocity contours</i>	81
8.8	<i>(a) Variation of elevation along the flow path (b) Variation of flow height and flow velocity along the centre of the flow path obtained in simulation results</i>	81
9.1	<i>Major cloudburst locations in the Upper Beas basin</i>	91
9.2	<i>The spatial distribution of average annual rainfall (a) and mean air temperature (b) over the state</i>	94
9.3	<i>The list of anthropogenic activities in the Himalayan states that degrade the river ecosystem</i>	94

9.4	<i>The SCS unit hydrograph and DRH for the upper Beas basin</i>	96
9.5	<i>The ordinates of unit hydrograph and cloudburst hydrograph</i>	96
9.6	<i>The direct runoff hydrograph for the effective rainfall of 15.5 cm in 3-4 hours</i>	96
9.7	<i>The unit hydrograph and DRH, as obtained from the SUH method.</i>	97
9.8	<i>The unit hydrograph and DRH as obtained from the CWC method for Zone 7.</i>	98
10.1	<i>Software framework for disaster management</i>	102
10.2	<i>Login window</i>	103
10.3	<i>Dashboard page presenting topical data</i>	103
10.4	<i>A 5-tab input page</i>	104
10.5	<i>Tab 1 populated with data</i>	104
10.6	<i>Resource tab</i>	104
10.7	<i>Adding available resource table</i>	104
10.8	<i>Dynamic table insertion for allocating resources to each affected district</i>	105
10.9	<i>Listing demand for resources needed by individual districts</i>	105
10.10	<i>Adding specifications for each affected district dynamically</i>	105
10.11	<i>Adding weights to each affected district and its specifications as required by DSS</i>	105
10.12	<i>Result of resource allocation for each affected district from the input provided by the user</i>	105
11.1	<i>Location map of Krishna river delta</i>	109
11.2	<i>Inundation mapping during different flood events and integrated: 2(a) May 1990; 2(b) October 2005; 2(c) September 2016; 2(d) Integration all three flood events</i>	111
11.3	<i>Geomorphology and its proneness to coastal flooding</i>	113
11.4	<i>Land use/ land cover map (2015-16)</i>	116
11.5	<i>Percentage distribution of Land use/ land cover (2015-16)</i>	117
12.1	<i>Key map showing the location of the study area-Revenue circles within Dibrugarh district, Assam, India</i>	121
12.2	<i>Highest Flood level from 1998 to 2017 of Brahmaputra River in Dibrugarh</i>	123
12.3	<i>Land Cover Supervised Classification of Dibrugarh district, Assam, India (Image date-January 2015, July 2015)</i>	123
12.4	<i>NDWI analysis of Dibrugarh district, Assam, India (Image date-January 2015, July 2015)</i>	124
12.5	<i>(a) Elevation Profile from Aster Dem for the district of Dibrugarh, (b) Direction of the slope in the riverine region of Dibrugarh district, (c) radial buffers of the erosion points within the district based on expert opinion on water bodies, (d) radial buffer of confluence points of tributaries Burhi Dihing, Sessa, Dihang, Dibru, e) proximity to rivers of the Upper Brahmaputra basin within the district of Dibrugarh-Brahmputra, Burhi Dihing, Sesaa, Disang, Dibru rivers.</i>	125
12.6	<i>Methodology used in the study for creating flood hazard map</i>	126
12.7	<i>The flood hazard map showing the most flood prone areas in the district of Dibrugarh</i>	127
14.1	<i>River Basins of Bihar</i>	139
14.2	<i>Rivers of Bihar and River Gandak</i>	140
15.1	<i>The study area is in Bihar state (India). The red bounding box indicates the study area overlaid on Sentinel 2 colour composite.</i>	151
15.2	<i>Schematic of methodology adopted in this study for flood extent delineation</i>	154
15.3	<i>The classification results of the Random Forest algorithm shows the temporal change in the flood extent of the Kosi river in the year 2019</i>	155
16.1	<i>(a) River Map of Raigad (b) Major ULBs in Raigad</i>	161
16.2	<i>(a) Flood Inundation 2021 (b) Flood Inundation of Savitri River</i>	162
16.3	<i>(a) Response work by NDRF (b) Rescue of locals from SAR teams</i>	163
16.4	<i>BLCT: Build, Lease, Coordinate, Transfer</i>	165

<b>16.5</b>	<i>MLCT: Modify, Lease, Coordinate, Transfer</i>	<b>165</b>
<b>16.6</b>	<i>MOCT: Modify, Operate, Coordinate, Transfer</i>	<b>166</b>
<b>16.7</b>	<i>LOCT: Lease, Operate, Coordinate, Transfer</i>	<b>166</b>
<b>M17.1</b>	<i>Kerala – Physical</i>	<b>170</b>
<b>17.1</b>	<i>The extent of flood</i>	<b>170</b>
<b>17.2</b>	<i>Rescue in Land slide area</i>	<b>170</b>
<b>17.3</b>	<i>Dam opened Picture 4: Heavy current of rainwater through inhabited areas</i>	<b>171</b>
<b>17.4</b>	<i>Aerial view of flood – entire building except the weather protection roofing is under water</i>	<b>171</b>
<b>M17.2</b>	<i>Flood and Landslide affected areas</i>	<b>173</b>
<b>18.1</b>	<i>The study area- Odisha</i>	<b>181</b>
<b>18.2</b>	<i>Track of the Super Cyclone Amphan</i>	<b>182</b>
<b>18.3</b>	<i>Rainfall in mm from 20-21 May 2020 in the districts of Odisha</i>	<b>182</b>
<b>18.4</b>	<i>Population affected in the Districts</i>	<b>182</b>
<b>18.5</b>	<i>Number of houses damaged in the districts</i>	<b>182</b>
<b>18.6</b>	<i>Extent of Damage lakh</i>	<b>183</b>
<b>18.7</b>	<i>Croped area affected in Ha</i>	<b>183</b>
<b>18.8</b>	<i>Damage in Energy sector in the district</i>	<b>183</b>
<b>18.9</b>	<i>Department wise Damage Rs. In lakh</i>	<b>183</b>
<b>18.10</b>	<i>Satellite image showing flood inundated areas due to Amphan</i>	<b>185</b>
<b>18.11</b>	<i>Vulnerability map of Odisha due to Amphan</i>	<b>185</b>
<b>18.12</b>	<i>People evacuated due to the impact of Amphan</i>	<b>187</b>
<b>18.13</b>	<i>Number of Shelters for evacuated people</i>	<b>187</b>
<b>18.14</b>	<i>Rescue teams deplod in the vulnerable areas</i>	<b>187</b>
<b>19.1</b>	<i>Number of disasters globally by type, between 1980-99 and 2000-2019 (CRED, 2020)</i>	<b>191</b>
<b>19.2</b>	<i>Role that can be played by an architect (adapted from AIA 2017), in disaster management of a cyclone like Titli</i>	<b>193</b>
<b>19.3</b>	<i>Components for analysing disaster risk</i>	<b>194</b>
<b>19.4</b>	<i>Topographical map showing the resettled villages studied (Topo Sheet no: 74A-8c)</i>	<b>195</b>
<b>19.5</b>	<i>Map of the study region</i>	<b>197</b>
<b>19.6</b>	<i>Livelihood Plan based on local resources developed in the community, in the year 2005 (Vaidyanathan, 2009)</i>	<b>198</b>
<b>19.7</b>	<i>Time lapse images of villages around Burataal, Ganjam district showing resettled Marmaria village</i>	<b>200</b>
<b>19.8</b>	<i>Extract for Ganjam, UNDP’s compendium of Rural housing typologies (United Nations Development Program, UNDP, 2016)</i>	<b>202</b>
<b>19.9</b>	<i>Collage showing current building trend.</i>	<b>203</b>
<b>19.10</b>	<i>Comparing the three resettled villages: pages from author’s field notebook.</i>	<b>204</b>
<b>19.11</b>	<i>Time lapse images of Billosahi village, Gajapati district</i>	<b>205</b>
<b>20.1</b>	<i>Financial value of the property or fixed asset damage (in USD)</i>	<b>209</b>
<b>20.2</b>	<i>Frictional force (Modified after: Ali &amp; Choudhury, 2014)</i>	<b>209</b>
<b>20.3</b>	<i>Methodology diagram</i>	<b>211</b>
<b>20.4</b>	<i>D- Form Data after Aila of Shamnagar Upazila , Satkhira District</i>	<b>212</b>
<b>20.5</b>	<i>Satellite Image of Padmapukur Union and Gabura Union after Aila -3.1.2010</i>	<b>213</b>
<b>20.6</b>	<i>Left: Satellite Image (Source: Google earth) of Ghorkumarapur village after Aila -3.1.2010 and Right: household image at Ghorkumarapur village After Sidr, [Credit: Nahiduzzaman &amp; Haas, 2008]</i>	<b>213</b>
<b>20.7</b>	<i>Settlement type of Ghorkumarapur village(a) and Gabura village (b)</i>	<b>214</b>

20.8	<i>Survived home stead at clustered pattern neighbourhood during Aila at Ghorkumarpur village [field survey, 2015 and Google earth image]</i>	215
20.9	<i>Modelling area of Ghorkumarpur village (Created on COMSOL)</i>	223
20.10	<i>Wind speed at 5m grid line along XZ plane</i>	225
20.11	<i>Wind speed at 20m grid line along YZ plane</i>	226
20.12	<i>Zones having wind speed up to 6m/s when <math>U_0 = 75</math> m/s (270 km/h).</i>	226
21.1	<i>Possible reasons of increase in frequency</i>	231
21.2	<i>SST in Arabian Sea</i>	231
21.3	<i>Cyclone Trend</i>	232
21.4	<i>Decadal growth of Marine Fishing in India (1980 - 2020)</i>	233
21.5	<i>State-wise (West Coast) Marine Fish Production in India (2015 - 2020)</i>	234
21.6	<i>Gender wise Fishermen Population</i>	235
21.7	<i>Faces of Vulnerability; Pressure and Release Model (Part I)</i>	236
21.8	<i>Faces of Safety; Pressure and Release Model (Part II)</i>	237
22.1	<i>Destruction caused by cyclone fani, 2019 – Puri, Odisha</i>	241
22.2	<i>Malilsahi village, Puri sadar</i>	242
22.3	<i>Terrain Map of India</i>	244
22.4	<i>(a) Map of odisha, India, (b) Kapateswar village, Puri sadar</i>	244
22.5	<i>Dhobi ghat &amp; fishing – river Bhargavi, Kapateswar</i>	245
22.6	<i>Brick opposite to the village</i>	245
22.7	<i>Backside of Kapateswar village showing traces of cyclonic distruction, 2020</i>	245
22.8	<i>Affected dwelling units, Kapateswar</i>	246
22.9	<i>View of Kapateswar shiv temple, Kapateswar</i>	246
22.10	<i>Methodology for the vulnerability assessment</i>	247
22.11	<i>Existing site plan- Kapateswar village, Puri</i>	248
22.12	<i>Temple lane elevation, Kapateswar, Puri</i>	249
22.13	<i>South side elevation Kapateswar, Puri</i>	249
22.14	<i>North side elevation, Kapateswar, Puri</i>	249
22.15	<i>Present condition of the dwelling units</i>	249
22.16	<i>Occupation of the village</i>	250
22.17	<i>Type of Constructions</i>	250
22.18	<i>Type of constructions</i>	250
22.19	<i>Materials used for construction before and after cyclone</i>	251
22.20	<i>Kapateswar shiv temple, Puri Sadar</i>	252
22.21	<i>Occupation &amp; type of housing</i>	253
22.22	<i>Amount of damage and construction</i>	253
22.23	<i>Per material damage assessment</i>	253
22.24	<i>Vegetation recorded before and after the cyclone</i>	254
23.1	<i>The study area map depicting the coastal blocks of South Twenty-four Parganas.</i>	258
23.2	<i>Changing patterns of vulnerability to storm surges in coastal blocks of South Twenty-four Parganas; a: 2004, b: 2009, c: 2014 and d: 2019</i>	261
24.1	<i>Cyclone occurrence during 1891–2013</i>	263
24.2	<i>Cyclone vulnerability of Eastern Coastal India</i>	263
24.3	<i>Cyclone Fani</i>	265
24.4	<i>Predicted Path of Cyclone Fani</i>	265

24.5	<i>Effect of Cyclone Fani</i>	265
24.6	<i>Restoration in Village Area by NDRF Team</i>	266
24.7	<i>Predicted path of Cyclone Nisarga</i>	267
24.8	<i>Tree fallen on Kaccha House Due to Nisarg Cyclone</i>	267
24.9	<i>NDRF Team Working After Cyclone</i>	267
24.10	<i>Monitoring and Forecasting Process of Tropical Cyclones over NIO</i>	268
25.1	<i>Machine learning Process</i>	274
26.1	<i>Map showing Study area: Bundelkhand region of Madhya Pradesh</i>	280
26.2	<i>Spatial variation in annual rainfall and rainy day in Bundelkhand</i>	282
26.3	<i>Annual rainfall departure (%) at five stations of Bundelkhand region Table</i>	284
26.4	<i>Annual Rainfall Probability distribution analysis at Sagar</i>	285
26.5	<i>SPI graphs of Sagar station on a different time scale</i>	286
27.1	<i>Study area</i>	291
27.2	<i>Rainfall status of monsoon year 2016</i>	293
28.1	<i>Population density per square kilometre versus area in square kilometre of the most densely populated regions of the world (data courtesy wikipedia.org, figure by authors).</i>	297
28.2	<i>Accumulated direct runoff <math>Q</math> (cm) versus accumulated rainfall depth <math>P</math> (cm) for Ia values 0.2 and 0.1, each for CN values 25 and 75 (figure courtesy: Kavila 2021).</i>	299
29.1	<i>GRACE-based index of three GRACE's TWS datasets. The events above zero line are considered as satisfactory events, and the events with negative values are unsatisfactory events.</i>	305
29.2	<i>The spatial variation of the trend of GRACE-based index of JPL, CSR, and GFZ data.</i>	306
29.3	<i>The Reliability-Resiliency-vulnerability-Sustainability map of JPL, CSR, and GFZ datasets.</i>	307
29.4	<i>The trend of snow depth. The graph shows the negative trend across the Himalayan region.</i>	308
29.5	<i>The trend of groundwater level. The map shows the location of the groundwater observation wells, and the map is created using the IDW method to form a grid. The graph next to the map shows the negative trend in Punjab and Haryana state, which shows the drastic reduction in the groundwater levels.</i>	309
29.6	<i>The trend of surface runoff. The map shows the spatial distribution of the trend of the surface runoff by the GLDAS product. The graph next to it shows the negative trend of the runoff at the south peninsular zone of rainfall and the Cauvery river basin.</i>	309
30.1	<i>Location map of Telangana state</i>	312
30.2	<i>Drought situation in districts</i>	312
30.3	<i>Agricultural drought assessment—October 2015</i>	312
30.4	<i>Drought scenario</i>	313
30.5	<i>Paddy crop withers due to dry conditions</i>	313
30.6	<i>Water scarcity</i>	313
30.7	<i>Migration of rural folk</i>	314
30.8	<i>Dry land Farming</i>	315
30.9	<i>Combat Drought &amp; Desertification</i>	315
31.1	<i>Trends in temperature, natural hazards and SLR (CDC, 2017; EM-DAT, 2020)</i>	320
31.2	<i>Study Area</i>	321
31.3	<i>Method</i>	322
31.4	<i>Land use dynamics and Sea level rise</i>	323
31.5	<i>Temperature Dynamics</i>	324
31.6	<i>Rainfall Patterns</i>	325
31.7	<i>Inundation during Amphan and Yaas cyclones</i>	325
31.8	<i>Exposure levels of Sagar Island</i>	326

32.1	<i>Location map of Mahanadi basin in India</i>	330
32.2	<i>Grids in Mahanadi basin</i>	330
32.3	<i>Graphical user interface of ClimPACT2</i>	332
32.4	<i>Spatial distribution of few extreme indices in the Mahanadi basin</i>	334
33.1	<i>Total number of hydrometeorological and related disasters in Bangladesh, Bhutan, India, Myanmar, and Nepal (1974-2003)</i>	338
33.2	<i>Study area</i>	339
33.3	<i>Time series analysis of land surface temperature from 2010-2017 over Kedarnath region</i>	339
33.4	<i>Correlation of LST and rainfall during 2013 over the Kedarnath region</i>	340
33.5	<i>Increasing trend of Min, Max and average temperature from 2010-2020 over Kedarnath region</i>	340
33.6	<i>Distribution of GPM satellite rainfall over Kedarnath region from the year 2000–2020</i>	341
33.7	<i>Graph representing daily rainfall, snow cover area, and land surface temperature over Kedarnath during June 2013</i>	341
34.1	<i>Natural Regions of Kerala</i>	346
34.2	<i>Physiography Map of Alappuzha District</i>	347
34.3	<i>Inhabitants of Pattamthuruthu at a crushed and submerged bridge, December 2018</i>	350
34.4	<i>Projected avg. annual flood heights in 2050 of Mumbai</i>	351
34.5	<i>Projected avg. annual flood heights in 2050 of Kolkata</i>	351
34.6	<i>Projected avg. annual flood heights in 2050 of Chennai</i>	351
34.7	<i>Old Sea level projection for Kerala.2050</i>	352
34.8	<i>New Sea Level projection for Kerala, 2050</i>	352
34.9	<i>Ranking of Variables in the Coastal Vulnerability Index</i>	353
34.10	<i>Alappuzha District - Taluk Boundary Map</i>	356
34.11	<i>Alappuzha District - Taluk Population Density Map</i>	358
34.12	<i>Alappuzha District -Taluk Impacts on coastline settlement map</i>	359
34.13	<i>Alappuzha District -Taluk Elevation Map</i>	360
34.14	<i>Alappuzha District - Taluk Flood Prone Area Map</i>	361
34.15	<i>Alappuzha District -Taluk SLR risk area 2050 Map</i>	362
34.16	<i>Alappuzha District - Taluk CHVI Map</i>	364
34.17	<i>Ambalapuzha Taluk - Local Bodies Boundary Map</i>	365
34.18	<i>Ambalapuzha Taluk - Local Body Boundary Map</i>	366
34.19	<i>Ambalapuzha Taluk - Local Bodies Population Density Map</i>	368
34.20	<i>Ambalapuzha Taluk - Local Bodies Impact on Coastline Settlement Map</i>	369
34.21	<i>Ambalapuzha Taluk - Local Bodies Coastal elevation potentiality Map</i>	370
34.22	<i>Ambalapuha Taluk - Local Bodies Flood Prone Area Map</i>	371
34.23	<i>Ambalapuzha Taluk - Local Bodies SLR risk areas by 2050 Map</i>	372
34.24	<i>Ambalapuzha Taluk - Local Bodies CHVI Map</i>	374
34.25	<i>Methodology for assessing decadal relative sea-level rise</i>	375
34.26	<i>Assumed projection of Relative sea-level rise trend and its respective land elevation at risk of inundation for Alappuzha Municipality</i>	376
34.27	<i>Shoreline Map of Alappuzha Municipality 1990</i>	377
34.28	<i>Shoreline change Map of Alappuzha Municipality 2000</i>	378
34.29	<i>Shoreline change Map of Alappuzha Municipality 2010</i>	379
34.30	<i>Shoreline change Map of Alappuzha Municipality 2020</i>	380
34.31	<i>Shoreline change Map of Alappuzha Municipality 1990 – 2020, overlaid with contour</i>	381

34.32	<i>Alappuzha Municipality RSLR 2050 Contour Map</i>	382
34.33	<i>Alappuzha Municipality 2030 RSLR risk areas Map</i>	383
34.34	<i>Alappuzha Municipality 2040 RSLR risk areas Map</i>	384
34.35	<i>Alappuzha Municipality decadal RSLR risk areas Map</i>	385
34.36	<i>Potentially vulnerable land use to decadal RSLR of Alappuzha Municipality</i>	386
34.37	<i>Potentially vulnerable roads to decadal RSLR of Alappuzha Municipality</i>	387
34.38	<i>Potentially Vulnerable Buildings to decadal RSLR of Alappuzha Municipality</i>	388
34.39	<i>Map showing Decadal RSLR range line, CRZ II, CRZ III, 2018 Flooded area, and Safe/buildable areas of Alappuzha Municipality</i>	389
34.40	<i>Map showing Proposed land use and proposals 2031 overlaid with Decadal RSLR risk areas of Alappuzha Municipality</i>	394
34.41	<i>Thaneermukkom Barrage constructed to regulate seawater into Vembanad lake in the south from its northern half</i>	395
34.42	<i>Kerala became the first state to provide the opportunity to enjoy seaplane rides in India</i>	395
34.43	<i>Aggressive waterweeds in canals of Alappuzha Municipality</i>	395
34.44	<i>Low maintenance of canals in Alappuzha municipality.</i>	395
34.45	<i>Housing boat service is famous in Alappuzha, Promoting tourism</i>	396
34.46	<i>Commercial canal in 1971 of Alappuzha Municipality</i>	396
34.47	<i>Existing canals and Water transportation routes</i>	397
34.48	<i>Location of RO plants in Alappuzha Municipality</i>	397
34.49	<i>Projected Traffic volume capacity ratio in 2031</i>	398
34.50	<i>Study Proposal Map of Alappuzha Municipality</i>	402
35.1	<i>Glaciers and glacial lakes along the entire stretch of the Himalayas (Bhutan, China, India, Nepal and Pakistan)</i>	406
35.2	<i>Two patterns of ice-dammed/glacial lakes and breach mechanisms (Walder and Costa, 1996)</i>	406
35.3	<i>Earth's surface temperature variation curve over the past 20,000 years</i>	408
35.4	<i>Trend of the concentration of CO<sub>2</sub> in Earth's atmosphere from year 1000 to year 2000 (data obtained from polar ice cores and direct atmospheric measurements over the past few decades 2000–2100 projections of the concentration are based on the IPCC's six illustrative SRES scenarios and IS92a)</i>	409
35.5	<i>Shifting isothermic dynamics along southern slopes of HKH ranges showing a general northward trend (Rasul et al., 2008)</i>	409
35.6	<i>Glacial Environment and Potential GLOF Lakes in Different Karakoram Basins, Pakistan (Arshad et al., 2011)</i>	410
36.1	<i>Location of cross sections at 1 km interval downstream of lake</i>	416
36.2	<i>Cross sections at 1 km interval downstream of lake</i>	416
36.3	<i>GLOF Hydrograph at Outlet</i>	417
38.1	<i>Shows displacement population from 2015-2019 by natural hazards &amp; other risks</i>	434
38.2	<i>Shows displacement population needs in Mn at 2020</i>	437
38.3	<i>Shows displacement population in different age category at 2020</i>	438
38.4	<i>Shows Data from IDMC's disaster displacement database shows that 54% of all events in 2019 displaced fewer than 100 people</i>	439
38.5	<i>Shows The impacts of slow-onset events to ecosystem and driven to displacement</i>	441
38.6	<i>Shows Slow-onset events which effected to create disasters</i>	441
38.7	<i>Shows cascading risks including biological hazards and with major risk drivers</i>	442
43.1	<i>Google map of Factory Locations and surrounding habitation and deaths</i>	471

43.2	<i>Google map of tanks in the premises of L. G. Polymers, Vizag</i>	472
43.3	<i>Showing the accidental release of Styrene gas in L. G. Polymers, Vizag</i>	472
43.4	<i>Styrene liquid</i>	473
43.5	<i>Google map of Factory Locations and surrounding habitation</i>	474
43.6	<i>People of vicinity got unconscious due to inhalation of leaked hazardous Styrene gas</i>	474
43.7	<i>Victims admitted to the hospital after getting affected by Styrene gas</i>	474
43.8	<i>Victims of the nearby villages rescued and admitted to the hospitals</i>	475
43.9	<i>Styrene effect on trees: dried upto the height of moving of Styrene Plume</i>	476
45.1	<i>Location Map</i>	492
45.2	<i>Baghjan while burning</i>	493
45.3	<i>Baghjan Fire at night</i>	494
45.4	<i>Baghjan after the fire: The main sourcepoint</i>	494
45.5	<i>Burned trees, bamboo, betelnut and Tea plantations</i>	495
45.6	<i>The ground in the aftermath</i>	496
45.7	<i>Emergency compartments set up by OIL</i>	496
45.8	<i>The damaged machineries</i>	497
45.9	<i>Our team member with a participant</i>	497
45.10	<i>Houses being rebuilt</i>	497
46.1	<i>Location of Study Area (Delhi) in India map</i>	500
46.2	<i>Location of Study Area (Delhi) along with its Districts</i>	500
46.3	<i>Study Sites across Delhi</i>	501
46.4	<i>District wise population density</i>	504
46.5	<i>Household Risk Perception</i>	504
46.6	<i>Household Risk Perception</i>	505
46.7	<i>Distance of Fire Stations</i>	505
46.8	<i>Distance of Fire Stations</i>	506
46.9	<i>Location of Fire-stations in Delhi</i>	507
46.10	<i>Land Use – Land Cover, 2000</i>	508
46.11	<i>Land Use – Land Cover, 2021</i>	508
46.12	<i>NDVI, 2000</i>	509
46.13	<i>NDVI, 2021</i>	510
46.14	<i>Fire Vulnerability</i>	511
47.1	<i>Comparative probability chart for Nuclear accidents</i>	515
47.2	<i>Chemical Incidents in Media 2016-17</i>	516
47.3	<i>Chart showing Occurrence Gas Global leak disasters from 1950 to 1975</i>	516
47.4	<i>Chart showing Occurrence Gas Global leak disasters from 1976 to 2000</i>	516
47.5	<i>Chart showing Global Occurrence Gas leak disasters from 2001 to 2021</i>	516
47.6	<i>Chart showing Global deaths from Gas leak disasters from 1950 to 1975</i>	517
47.7	<i>Chart showing Global deaths from Gas leak disasters from 1976 to 2000</i>	517
47.8	<i>Chart showing Global deaths from Gas leak disasters from 2001 to 2021</i>	517
47.9	<i>Chart Indicating awareness level of people reg HAZCHEM/MSDS</i>	518
47.10	<i>Chart occurrence of showing Global Transport disasters from 1950 to 1975</i>	519
47.11	<i>Chart showing occurrence of Transport Global disasters from 1976 to 2000</i>	519
47.12	<i>Chart occurrence of showing Global Transport disasters from 2001 to 2021</i>	519

**xviii** 5<sup>th</sup> World Congress on Disaster Management

<b>47.13</b>	<i>Chart Indicating awareness level of people reg response mechanism to chemical incident</i>	<b>521</b>
<b>47.14</b>	<i>Chart Indicating awareness level of people reg response mechanism to biological incident</i>	<b>521</b>
<b>47.15</b>	<i>Chart Indicating awareness level of people reg response mechanism to radiological incident</i>	<b>521</b>
<b>47.16</b>	<i>Chart Indicating sensitization of people reg WMD</i>	<b>523</b>
<b>47.17</b>	<i>Chart Indicating sensitization of people Dos and Don'ts in case of use of CBRN materials</i>	<b>523</b>
<b>47.18</b>	<i>Chart Indicating preparation of people against CBRN Warfare</i>	<b>523</b>
<b>49.1</b>	<i>Geology of Sulawesi Island (Maulana, 2018)</i>	<b>537</b>
<b>49.2</b>	<i>Tectonic map of the world, the plates in interaction around Indonesia are clearly presented (Encyclopædia Britannica)</i>	<b>538</b>
<b>49.3</b>	<i>Epicentre of Earthquakes (Main event and Aftershocks) and surface traces of surrounding main faults (Palu-Koro fault shown as disconnected red lines)</i>	<b>538</b>
<b>49.4</b>	<i>(a-l) Coulomb Stress Change Illustration of MW ≥ 5 aftershocks on both nodal planes as developed using Coulomb 3.3 software (Toda et al., 2011)</i>	<b>545</b>
<b>50.1</b>	<i>Conceptual model of tsunami sedimentation modeling [2]</i>	<b>548</b>
<b>51.1</b>	<i>(a) Map of India highlighting Parambikulam Tiger Reserve, (b) Digital Elevation Model of Parambikulam Tiger Reserve</i>	<b>551</b>
<b>51.2</b>	<i>Flow chart of the methodology adopted for the study</i>	<b>554</b>
<b>51.3</b>	<i>Land cover type</i>	<b>554</b>
<b>51.4</b>	<i>Normalized Difference Vegetation Index</i>	<b>555</b>
<b>51.5</b>	<i>Land Surface Temperature</i>	<b>555</b>
<b>51.6</b>	<i>Temperature</i>	<b>555</b>
<b>51.7</b>	<i>Rainfall</i>	<b>555</b>
<b>51.8</b>	<i>Wind speed</i>	<b>556</b>
<b>51.9</b>	<i>Elevation</i>	<b>556</b>
<b>51.10</b>	<i>Slope</i>	<b>556</b>
<b>51.11</b>	<i>Aspect</i>	<b>556</b>
<b>51.12</b>	<i>Distance from settlement</i>	<b>557</b>
<b>51.13</b>	<i>Distance from road</i>	<b>557</b>
<b>51.14</b>	<i>Distance from drainage</i>	<b>557</b>
<b>51.15</b>	<i>Forest fire risk zone map of Parambikulam Tiger Reserve</i>	<b>558</b>
<b>52.1</b>	<i>Expected Flight Operation</i>	<b>563</b>
<b>52.2</b>	<i>LoRa Module</i>	<b>563</b>
<b>52.3</b>	<i>LoRa Transmitter and Receiver</i>	<b>563</b>
<b>52.4</b>	<i>Back-Forth Implemented near Banasura Sagar Dam</i>	<b>564</b>
<b>52.5</b>	<i>Python Shell and Command Prompt window with base location</i>	<b>565</b>
<b>52.6</b>	<i>Logic section of the Drone</i>	<b>565</b>
<b>52.7</b>	<i>Wind Direction and Speed</i>	<b>566</b>
<b>52.8</b>	<i>Quadcopter Simulation behaviour on GCS</i>	<b>566</b>
<b>52.9</b>	<i>Fixed-Wing based Simulation behaviour on GCS</i>	<b>566</b>
<b>52.10</b>	<i>Input Image</i>	<b>567</b>
<b>52.11</b>	<i>Output Image</i>	<b>567</b>
<b>52.12</b>	<i>Pre-processed Image and Original Image</i>	<b>567</b>
<b>52.13</b>	<i>WSN based temperature prediction system</i>	<b>567</b>
<b>52.14</b>	<i>Prediction result using Linear Regression model</i>	<b>567</b>
<b>52.15</b>	<i>Phase 1 implementation in Banasura Sagar, Wayanad, Kerala</i>	<b>568</b>
<b>52.16</b>	<i>Prediction result table sample using Linear Regression model</i>	<b>568</b>

<b>53.1</b>	<i>Australian annual mean temperature above/below average (°C) (Australian Government Bureau of Meteorology)</i>	<b>571</b>
<b>54.1</b>	<i>Trends in Forest Annually Affected by Fire by Region, 1990–2005</i>	<b>578</b>
<b>54.2</b>	<i>Area burned, number of fires and suppression costs for the USA with linear trend lines (1991–2015)</i>	<b>579</b>
<b>54.3</b>	<i>Graphical Representation showing the total forest fires in 13 years</i>	<b>581</b>
<b>54.4</b>	<i>Map Showing fire prone forest areas under different fire prone classes</i>	<b>581</b>
<b>54.5</b>	<i>Diagrammatic Representation showing the percentages of Fire Prone Areas</i>	<b>582</b>
<b>54.6</b>	<i>MODIS-based forest fire detections in the country during the fire season 2019–2020</i>	<b>583</b>
<b>54.7</b>	<i>Map showing the eight physiographic zones of the country</i>	<b>584</b>
<b>54.8</b>	<i>Graph depicting the estimated burnt forest areas (in ha) in different physiographic zones of the country during the fire season 2019–20</i>	<b>584</b>
<b>54.9</b>	<i>Graph depicting the average burnt forest area per forest fire event (in ha) in different physiographic zones of the country during the fire season 2019–2020</i>	<b>585</b>
<b>54.10</b>	<i>Graph depicting percentage of total fire affected forest area (11094 sq. km) among different physiographic zones of the country</i>	<b>585</b>
<b>55.1</b>	<i>Location of Uttarakhand state in India</i>	<b>591</b>
<b>55.2</b>	<i>Destructions created by cloudburst events in the state of Uttarakhand</i>	<b>592</b>
<b>55.3</b>	<i>Four elements of resilience</i>	<b>593</b>
<b>55.4</b>	<i>Process for cloudburst resilience in cities</i>	<b>593</b>
<b>55.5</b>	<i>Topography of Uttarakhand State</i>	<b>595</b>



## List of Tables

1.1	<i>Duration of inundation and Infrastructure access</i>	6
1.2	<i>Age of the building and severity of damage</i>	6
1.3	<i>Community, remittances and income range</i>	7
1.4	<i>Income pattern across communities</i>	7
1.5	<i>Income pattern &amp; occupation pattern</i>	7
1.6	<i>Religion &amp; caste diversity</i>	7
1.7	<i>Family type in Aluva</i>	7
1.8	<i>Age and illness</i>	8
1.9	<i>Community and place of relocation</i>	8
1.10	<i>Income and duration of relocation</i>	8
1.11	<i>Family type and level of awareness</i>	9
1.12	<i>Age and digital literacy</i>	9
1.13	<i>Income and means of monetary support</i>	10
1.14	<i>Income and ownership pattern</i>	10
1.15	<i>Medical facility available to households during floods in Aluva, Kochi</i>	10
1.16	<i>Communication of red alert</i>	10
1.17	<i>Income &amp; food intake during floods</i>	11
1.18	<i>Age &amp; food intake during floods</i>	11
1.19	<i>Family type and duration to get back to normal post flood</i>	11
1.20	<i>Income of family and during to get back to normal</i>	12
1.21	<i>Help got by households after returning home</i>	12
1.22	<i>Age of the building and duration of repairs</i>	12
1.23	<i>Monetary Damage &amp; Income</i>	13
1.24	<i>Duration of inundation and compensation from government</i>	13
2.1	<i>Details of Reservoirs</i>	18
2.2	<i>Data Sources</i>	18
2.3	<i>LULC change for PRB 2002 to 2030</i>	20
2.4	<i>Variation in Outflow during August 2018 in PRB by changing LULC from 2002 to 2030</i>	22
3.1	<i>Number of affected households</i>	27
4.1	<i>showing historical minimum, maximum and average discharge values in some river of Bihar</i>	31
4.2	<i>Tabulation of maximum discharge in the river Kosi in different years immediately after independence of the country in 1947</i>	34
4.3	<i>Table showing relation between different actors involved in the formulation and implementation of Kosi flood management policy</i>	35
5.1	<i>Number of operations in Uttarakhand by NDRF in last five years</i>	43
5.2	<i>Details of probable missing person</i>	47
5.3	<i>NDRF Team deployment</i>	48
6.1	<i>Participant's Group Formation</i>	62
6.2	<i>Seven river zones in Bihar</i>	62

6.3	<i>Stakeholders and their activities in FRR</i>	65
8.1	<i>Average and maximum values of Flow height and velocity at the center of the flow path</i>	82
9.1	<i>The list of datasets utilised in this study</i>	92
9.2	<i>The ordinates of SCS dimensionless unit hydrograph</i>	92
9.3	<i>The hourly rainfall intensity obtained for the upper Beas basin</i>	95
9.4	<i>The land use land cover distribution with the runoff coefficient</i>	95
9.5	<i>The actual ordinates of SCS Unit hydrograph</i>	96
9.6	<i>The value of <math>C_t</math> and <math>C_p</math> and obtained Peak discharge using the Snyder method</i>	97
9.7	<i>The peak value obtained using each method</i>	98
11.1	<i>Landforms and their distribution in different flood hazard classes</i>	115
12.1	<i>District information at a glance</i>	122
12.2	<i>Ranking of Indicators for Flood Hazard Zonation</i>	125
13.1	<i>Classification of Direct and Indirect Benefits to the society through Cost of Damage Due to Flood Approach</i>	132
13.2	<i>Types of Costs</i>	132
15.1	<i>Details of Sentinel 1 dataset used for this study</i>	152
15.2	<i>The various Grey Level Co-occurrence Matrix (GLCM) descriptors with their formulae</i>	153
15.3	<i>The accuracy assessment results for classified images</i>	155
16.1	<i>Applicability and Viability Structure</i>	164
18.1	<i>Impact of Amphan in Odisha</i>	184
18.2	<i>Department wise loss due to Amphan</i>	184
18.3	<i>Preparedness and response to the impact of Amphan</i>	186
19.1	<i>State-wise distribution of Cyclonic storms: 1891-2000 (IMD as cited in (Special Relief Commissioner, RDM, GoO, 2018))</i>	191
19.2	<i>Area affected by Very Severe Cyclone, Titli (Special Relief Commissioner, RDM, GoO, 2018)</i>	192
19.3	<i>Incomplete land slide vulnerability info from the Ganjam Disaster Management Plan (Odisha State Disaster Management Authority, OSDMA, 2019)</i>	192
19.4	<i>Overview of the study region (Office of the Registrar General, 2011)</i>	196
19.5	<i>Vulnerability assessment of housing, Ganjam district (Building Material and Technology Promotion Council, 2019)</i>	199
20.1	<i>Correlation of wind pressure with parameters of features affecting wind speed within settlement from</i>	212
20.2	<i>Findings from field survey</i>	215
20.3	<i>Findings from CFD simulation (at different wind speed within inner area of sample settlement with turbulent flow (XY plane)</i>	224
21.1	<i>List of Cyclones in Arabian Sea</i>	232
21.2	<i>Monthly Analysis for 120 years</i>	233
22.1	<i>Destruction caused by cyclone fani, 2019 – Puri, Odisha</i>	242
22.2	<i>Destruction caused by cyclone fani, 2019 in Puri region</i>	242
22.3	<i>Percentage damage per material used for construction</i>	254
23.1	<i>Details of data employed for deriving bio-physical and socio-economic variables for CVI calculation</i>	258
23.2	<i>Risk ranking of variables of storm surge vulnerability</i>	259
24.1	<i>Area of responsibility of ACWCs and CWCs</i>	269
26.1	<i>Drought classification based on SPI values</i>	282
26.2	<i>Descriptive statistics of rainfall in Bundelkhand region (period of 1980-2017)</i>	282
26.3	<i>Average contribution of seasons and highest monthly rainfall and PCI</i>	283
26.4	<i>Districtwise driest and wettest year in Bundelkhand region</i>	284

<b>26.5</b>	<i>Drought frequency analysis in Bundelkhand region</i>	<b>284</b>
<b>26.6</b>	<i>Probability distribution analysis of rainfall</i>	<b>285</b>
<b>26.7</b>	<i>Probability of occurrence of dry events (%) on a different time scale</i>	<b>286</b>
<b>28.1</b>	<i>Population, area under paddy cultivation and area under rubber cultivation in Kerala from years 1961–2011 (data extracted from Economic Review (1961 to 2011), table by authors)</i>	<b>297</b>
<b>28.2</b>	<i>Range in depth to the middle of the core sample, slope of the linear fit to the plot of field capacity water of the sample against SOM content of the sample for samples with centres at these depths for forest soil, and for rubber growing soil (values as calculated using data from Anil Kumar et al 2016, table by authors)</i>	<b>298</b>
<b>28.3</b>	<i>Location of ground water monitoring well/aquifer, pre-monsoon water table drawdown rate and post-monsoon water table drawdown rate in cm/yr. (data extracted from Ground Water Yearbook (2015-16), table by authors)</i>	<b>299</b>
<b>30.1</b>	<i>Plummeting Ground water</i>	<b>313</b>
<b>31.1</b>	<i>Data used in the analysis</i>	<b>322</b>
<b>31.2</b>	<i>Scenario development for different time scales</i>	<b>323</b>
<b>32.1</b>	<i>Average and variation of different climate extreme indices in the Mahanadi basin</i>	<b>333</b>
<b>34.1</b>	<i>Natural Regions of Kerala</i>	<b>348</b>
<b>34.2</b>	<i>Parameters and rankings for Coastal Habitat Vulnerability Index</i>	<b>355</b>
<b>34.3</b>	<i>Digital Datasets used in the research</i>	<b>355</b>
<b>34.4</b>	<i>Alappuzha District - Taluk Demography</i>	<b>355</b>
<b>34.5</b>	<i>Alappuzha District - Taluk Land Division</i>	<b>357</b>
<b>34.6</b>	<i>Alappuzha District - Taluk Flood Prone area</i>	<b>357</b>
<b>34.7</b>	<i>Alappuzha District - Taluk Building Footprint</i>	<b>357</b>
<b>34.8</b>	<i>CHVI rank – Taluk (Impacts on population growth and density)</i>	<b>357</b>
<b>34.9</b>	<i>CHVI rank – Taluk (Impacts of settlements and shoreline extends)</i>	<b>359</b>
<b>34.10</b>	<i>CHVI rank – Taluk (Coastal elevation potentiality)</i>	<b>360</b>
<b>34.11</b>	<i>CHVI rank—Taluk (Coastal flooding/Seawater inundation potentiality)</i>	<b>361</b>
<b>34.12</b>	<i>CHVI Rank -Taluk Geomorphology</i>	<b>363</b>
<b>34.13</b>	<i>Alappuzha District – Taluk’s Coastal Habitat Vulnerability Index</i>	<b>363</b>
<b>34.14</b>	<i>Ambalapuzha Taluk – Local Body Demography</i>	<b>367</b>
<b>34.15</b>	<i>Ambalapuzha Taluk - Local Bodies Land Division</i>	<b>367</b>
<b>34.16</b>	<i>Ambalapuzha Taluk - Local Bodies Flood-prone area</i>	<b>367</b>
<b>34.17</b>	<i>CHVI Rank - Local Bodies (Impacts of Population Growth and Density)</i>	<b>368</b>
<b>34.18</b>	<i>CHVI Rank - Ambalapuzha Taluk Local Bodies (impacts of settlements and shoreline extends)</i>	<b>369</b>
<b>34.19</b>	<i>CHVI Rank - Ambalapuzha Taluk Local Bodies (Coastal elevation potentiality)</i>	<b>370</b>
<b>34.20</b>	<i>CHVI Rank - Ambalapuzha Taluk Local Bodies (Coastal flooding/seawater inundation potentiality)</i>	<b>371</b>
<b>34.21</b>	<i>CHVI Rank - Ambalapuzha Taluk Local Bodies (Geomorphology)</i>	<b>373</b>
<b>34.22</b>	<i>Ambalapuzha Taluk - Local Bodies Coastal Habitat Vulnerability Index</i>	<b>373</b>
<b>34.23</b>	<i>Net sea level rise trends along the Indian coast</i>	<b>376</b>
<b>34.24</b>	<i>Assumed Decadal relative sea-level rise and its respective land elevation at risk of inundation projection for Alappuzha Municipality</i>	<b>376</b>
<b>34.25</b>	<i>Population projection of Alappuzha Municipality</i>	<b>390</b>
<b>34.26</b>	<i>Population at Risk to decadal RSLR of Alappuzha Municipality</i>	<b>390</b>
<b>34.27</b>	<i>Quantification of Asset Damage to decadal RSLR of Alappuzha Municipality</i>	<b>391</b>
<b>35.1</b>	<i>An Overview of the Glacial Lakes in Major River Basins of Karakoram Range</i>	<b>410</b>
<b>35.2</b>	<i>Summary of Different Types of Glacial Lakes in Karakoram Range of Pakistan</i>	<b>411</b>

**xxiv** 5<sup>th</sup> World Congress on Disaster Management

<b>36.1</b>	<i>Empirical Equations for the Calculation of Peak Flows from Moraine and Ice Dam Failures</i>	<b>415</b>
<b>36.2</b>	<i>Elevation-area relationship of Glacial Lakes</i>	<b>417</b>
<b>36.3</b>	<i>Lateral inflow considered corresponding to 100 year return period flood</i>	<b>417</b>
<b>36.4</b>	<i>Flood peak due to glacial lake outburst for breach width of 50 m</i>	<b>418</b>
<b>39.1</b>	<i>Past and the present climate trends and variability among SAARC countries</i>	<b>449</b>
<b>46.1</b>	<i>Metadata of Satellite imageries</i>	<b>502</b>
<b>46.2</b>	<i>Land use in Delhi</i>	<b>509</b>
<b>46.3</b>	<i>District wise composite vulnerability</i>	<b>510</b>
<b>49.1</b>	<i>Basic aftershock parameters obtained from Dziewonski et al. (1981) and Ekstrim et al. (2012); Stress change calculations computed using Coulomb 3.3 software (Toda et al., 2011)</i>	<b>545</b>
<b>50.1</b>	<i>Tsunami flow data at different locations of Andaman [2]</i>	<b>549</b>
<b>51.1</b>	<i>Rank and Weight assigned for different causative factors of fire</i>	<b>552</b>
<b>51.2</b>	<i>Validation of forest fire risk zone map of PKTR</i>	<b>558</b>
<b>52.1</b>	<i>Flight Simulation Results</i>	<b>568</b>
<b>54.1</b>	<i>Largest fires of the 21st-century</i>	<b>577</b>
<b>54.5</b>	<i>Forest cover in different fire prone classes</i>	<b>582</b>
<b>56.1</b>	<i>Number of heat wave (HW) over Bihar region</i>	<b>599</b>
<b>56.2</b>	<i>Number of Death (HW) over Bihar region</i>	<b>599</b>

# Preface

The Fifth World Congress on Disaster Management (WCDM) was organised in Delhi from 24<sup>th</sup> to 27<sup>th</sup> November 2021 jointly by the Government of Delhi, the Indian Institute of Technology Delhi, and the Disaster Management Initiative and Convergence Society which created the platform of WCDM. Over the years, WCDM has emerged as the largest conference on disaster management in the developing world.

The theme of the Fifth WCDM was *Technology, Finance and Capacity*. 7 Plenary Sessions, 50 Technical Sessions and Special Technical Sessions were organised around this overarching theme. While eminent thought leaders and experts delivered keynote addresses and participated in the panel discussions of the Plenary Sessions. It is the Technical Sessions that received the longest traction as Call for Papers was issued for these sessions months in advance and more than 600 researchers, practitioners and policy makers responded with abstracts of their ideas. These were reviewed by experts and subsequently, 250 of these abstracts were developed as full papers. This is the second of five-volume series of compendium of these papers.

The papers have been published in the same form these were received without any peer review to provide a flavour of the raw ideas that emerged from the Technical Sessions of the conference. Some of these papers presented by the young researchers and practitioners may not have the rigours of academic disciplines, but these do reflect the cross current of thoughts that went around in these sessions of the Conference. These provide new ideas and insights that provide value to the current discourses on the subject.

These papers have been arranged under five broad themes—first: Disaster Risk Management, second: Nature and Human Induced Disasters, third: Coronavirus Pandemic, fourth: Disaster Response and fifth: Challenges and Opportunities of Disaster Management. Understandably the papers do not cover every aspect of the themes, these discuss only those aspects that the authors have chosen to highlight. The present volume is a compilation of 56 papers on the theme of Nature and Human Induced Disasters, which is further divided into seven sub-themes, first: Living with Floods: Case Studies in Flood Risk Management, second: Planning and Managing Risks of Floods and River Erosion, third: Cyclone Risk Mitigation and Management, fourth: Managing Risks of Drought, fifth: Climate Change and Disasters: New Dimensions, sixth: Technological Disasters and seventh: Other Disasters.

The Conference secretariat has brought the papers together, but his credit lies solely and exclusively on the authors.

**Dr S. Ananda Babu**  
**Convener**  
**Fifth World Conference on Disaster Management**



# Acknowledgement

DMICS, the organizer of the 5<sup>th</sup> World Congress on Disaster Management (WCDM), expresses its deep appreciation to Government of Delhi (GNCTD), NDMA, NIDM, DRDO, UNICEF, ICMR, GSI, and Knowledge Partners, delegates who have supported the 2021 World Congress on Disaster Management with either earmarked or unearmarked contributions. A special acknowledgement goes to Indian Institute of Technology, Delhi for hosting the 5<sup>th</sup> WCDM for its strong support.

DMICS would like to express our deepest appreciation to Hon'ble Union Minister of Defence, Shri Rajnath Singh for inaugurating the 5<sup>th</sup> WCDM and delivering the inaugural address; Mami Mizutori, UN-DRR Chief and Special Representative of the UN Secretary General for her special message and Dr Balram Bhargava, Secretary, DHR and Director General, ICMR for his key note address. We would also like to convey our heartfelt appreciation and gratitude to Prof. V. Ramgopal Rao, Director of IIT Delhi, Dr. Parvez Hyatt, for their strategic support and guidance. Our indefatigable team members, Col. Sanjay Srivastava Dr. Chandrappa, Dr. A. Kishan, Prof. B. Gopal Rao, Mr. Bhaskar Rao Volam, Dr. B. Ram, Prof. V. Prakasam, Dr. A. Gayathri Devi, Dr. R. K. Srivastava, Mr. Amit Kumar, Mr. Mohan Kasthala, Mr. Pavan Parlapalli, Mr. Manish Vishnoi, Ms. Suparna Dutta, Ms. Parul Sharma, Ms. Megha B Bhati, M. Zoya Khan, Ms. Areeba Naaz, Mr. Rohit Kumar Azad and Ms. Shweta Zanjrukia, deserve a huge appreciation for working tirelessly for the last one year in ensuring that 5th WCDM reaches new horizons in bringing together the Government Duty bearers, Policy makers, Planners, Researchers, Academicians, Practitioners and other key stakeholders.

DMICS extends its sincere gratitude to the large number of organisations, individuals and volunteers who have contributed to the 5<sup>th</sup> WCDM, through technical support and in numerous other ways. DMICS would like to express its deepest appreciation also to the members of the Scientific and Technical Committee (S&TC) along with its Chair, technical leads and collaborative organisations of Pre-Conference Webinars, Plenaries, Special Feature Events, Special Technical Sessions and Exhibitors.

